

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Substance
Name	: Quartz
Trade name	: QUARTZ (STOT RE 1)
Product code	: See annex 1
EC-No.	: 238-878-4
CAS-No.	: 14808-60-7
Formula	: SiO ₂
Synonyms	: Silica flour, Crystalline Silica flour, Silicon dioxide flour, Quartz sand, Quartzite
REACH registration exemptions	: Exempted in accordance with Annex V.7

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture	: Main applications (non exhaustive list): Paints, Ceramics, Glass fibre, Plastics, Rubber sealants, Special concrete, Manufacture of silicon, ferrosilicon and iron oxide pellets, Production of: Cement, Concrete, Fluxing material.
------------------------------	--

1.2.2. Uses advised against

Uses advised against	: No use identified in Section 1.2 is advised against
----------------------	---

1.3. Details of the supplier of the safety data sheet**Legal entity**

SCR-Sibelco NV
Plantin en Moretuslei 1A
2018 Antwerpen - Belgium

Contact details

See annex 2

1.4. Emergency telephone number

Emergency number	: Sibelco UK: +44 1270 332 037 (during office hours)
------------------	---

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Health Service (NHS)		111 999 (in life-threatening emergencies)	
Wales	National Health Service (NHS)		0845 46 47	

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Specific target organ toxicity – Repeated exposure, Category 1 H372

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes damage to lung through prolonged or repeated exposure by inhalation.


QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	:	
Signal word (CLP)	:	Danger
Contains	:	Quartz (fine fraction)
Hazard statements (CLP)	:	H372 - Causes damage to organs (lungs) through prolonged or repeated exposure (if inhaled).
Precautionary statements (CLP)	:	P260 - Do not breathe dust. P501 - Dispose of contents/container in accordance with local regulations.
Extra phrases	:	In case of inadequate ventilation wear respiratory protection.

2.3. Other hazards

Other hazards which do not result in classification	:	No other hazards identified.
Endocrine disrupting properties	:	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Other information	:	This product is an inorganic substance and does not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

SECTION 3: Composition/information on ingredients

3.1. Substances

Comments : Substance containing a main component

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quartz	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4 (REACH-no) E*	> 98	Not classified
Quartz (fine fraction)	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4 (REACH-no) E*	≥ 10	STOT RE 1, H372

Full text of H- and EUH-statements: see section 16

Comments : * E: Exempted from REACH registration

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	:	No hazards which require special first aid measures.
First-aid measures after inhalation	:	Move the affected person away from the contaminated area and into the fresh air.
First-aid measures after skin contact	:	No special first aid measures necessary.
First-aid measures after eye contact	:	Rinse with copious quantities of water and seek medical attention if irritation persists.
First-aid measures after ingestion	:	No first aid measure required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No acute and delayed symptoms and effects are observed.

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

No special first aid measures necessary.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : No specific extinguishing media is needed.
Unsuitable extinguishing media : No restriction on the extinguishing media to be used.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not combustible.
Hazardous decomposition products in case of fire : No hazardous thermal decomposition.

5.3. Advice for firefighters

Protection during firefighting : No specific fire-fighting protection is required.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid airborne dust generation, wear respiratory personal protective equipment in compliance with national legislation, see EN 143: 2000.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No special requirements.

6.3. Methods and material for containment and cleaning up

For containment : Avoid dry sweeping and use water spraying or vacuum cleaning systems (with high-efficiency particulate air filter) to prevent airborne dust generation. Wear personal protective equipment in compliance with national legislation.

6.4. Reference to other sections

See sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid airborne dust generation. Provide appropriate exhaust ventilation at places where airborne dust is generated. Other suitable controls may include enclosure, isolation, water suppression, respiratory protective equipment. Handle packaged products carefully to prevent accidental bursting. If you require advice on safe handling techniques, please contact your supplier.
Hygiene measures : Do not eat, drink and smoke in work areas; wash hands after use; remove contaminated clothing and protective equipment before entering eating areas. Shower and change clothes at end of work shift.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Minimise airborne dust generation and prevent wind dispersal during loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting.

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

If you require advice on specific uses, please contact your supplier or check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Additional information : Follow workplace regulatory exposure limits for all types of airborne dust (e.g. total dust, respirable dust). For the equivalent limits in other countries, please consult a competent occupational hygienist or the local regulatory authority.

Quartz (14808-60-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Silica crystalline (Quartz)
IOEL TWA	0.1 mg/m ³ (respirable dust) - Binding OEL
Regulatory reference	Directive (EU) No. 2017/2398
Ireland - Occupational Exposure Limits	
Local name	Quartz, respirable dust
OEL TWA [1]	0.1 mg/m ³
Remark	BOELV (Binding Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Silica, respirable crystalline
WEL TWA (OEL TWA) [1]	0.1 mg/m ³ (respirable fraction)
Remark	Carc (where generated as a result of a work process)
Regulatory reference	EH40/2005 (Fourth Edition, January 2020), HSE

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Refer to European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) or equivalent national standard(s) Refer to European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) or equivalent national standard(s) Refer to European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) or equivalent national standard(s).

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Dust formation: dust mask.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear safety glasses with side-shields in circumstances where there is a risk of penetrative eye injuries.

8.2.2.2. Skin protection

Skin and body protection:

No specific requirement. Appropriate protection (e.g. gloves, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

Hand protection:

Appropriate protection (e.g. gloves, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin. Wash hands at the end of each work session.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the requirements of European or national legislation. The use of half or full face masks with filters against particles of category 2 or 3 (FP2 - FP3) is recommended. See EN 143: 2000 - Respiratory protective devices. Particle filters

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid wind dispersal.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Grey, White
Appearance	: Powder, Grain shape: angular
Odour	: Odourless
Odour threshold	: Not available
Melting point	: > 1610 °C
Boiling point	: 2230 – 2590 °C
Flammability	: Not flammable (not combustible)
Explosive properties	: Not explosive (absence of chemical groups associated with explosive properties)

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosive limits	: Not applicable
Flash point	: Not applicable (solid with a melting point >1610 °C)
Auto-ignition temperature	: No self-heating below 400 °C (solid with a melting point >1610 °C)
Decomposition temperature	: ≈ 2000 °C
pH	: 5 – 8 (40% aqueous dispersion @20°C)
Viscosity, kinematic	: Not applicable (solid with a melting point >1610 °C)
Viscosity, dynamic	: Not applicable (solid with a melting point >1610 °C)
Solubility	: Water: Negligible, Hydrofluoric acid: Soluble
Partition coefficient n-octanol/water (Log Pow)	: Not applicable (solid inorganic substance)
Vapour pressure	: Not applicable (solid with a melting point >1610 °C)
Density	: Not available
Relative density	: 2 – 3 (water=1)
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Oxidising properties : Non oxidizing (substance is incapable of reacting exothermically with a combustible material)

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not applicable (solid with a melting point >1610 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Inert, not reactive.

10.2. Chemical stability

Chemically stable.

10.3. Possibility of hazardous reactions

No hazardous reactions.

10.4. Conditions to avoid

Not relevant.

10.5. Incompatible materials

No particular incompatibility.

10.6. Hazardous decomposition products

Not relevant.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Based on available data, the classification criteria are not met. The acute oral LD50 of quartz is greater than 2000 mg/kg
Acute toxicity (dermal)	: Based on available data, the classification criteria are not met. The acute dermal LD50 of quartz is greater than 2000 mg/kg
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met. There is no specific acute toxicity data at doses that enable a categorical decision on the acute inhalation toxicity classification for any form of crystalline silica at 100%. Acute inhalation toxicity is not expected based on read across to an OECD compliant study, with a substance that contains 45% cristobalite and gives no indication of lethality. Hence further testing is not warranted in the interests of animal welfare

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Quartz (14808-60-7)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	: Based on available data, the classification criteria are not met. Quartz (coarse sand and milled) is not irritating to skin (OECD TG 404) pH: 5 – 8 (40% aqueous dispersion @20°C)
Serious eye damage/irritation	: Based on available data, the classification criteria are not met. Quartz (coarse sand and milled) is not irritating to eye (OECD TG 405) pH: 5 – 8 (40% aqueous dispersion @20°C)
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met. No evidence of skin sensitisation in handbook data
Germ cell mutagenicity	: Based on available data, the classification criteria are not met. Quartz has a genotoxic and mutagenic effect mainly through its inflammatory effects. Respirable quartz was unable to cause increased HPRT mutations in rat lung epithelial cells in vitro
Carcinogenicity	: Based on available data, the classification criteria are not met. Lung cancer excess risk is demonstrated only under high occupational exposures to RCS. The lung cancer excess risk is restricted to subjects who contracted silicosis
Reproductive toxicity	: Based on available data, the classification criteria are not met. Silica is essential for normal body function and is ingested orally via the consumption of foods containing silica naturally. An early one-generation study on Wistar rats gave no evidence of any adverse effects arising from long-term feeding of silica-rich water
STOT-single exposure	: Based on available data, the classification criteria are not met. Studies available; inconclusive
STOT-repeated exposure	: This product contains quartz (fine fraction) as an impurity and therefore is classified as STOT RE1 according to criteria defined in the Regulation EC 1272/2008. Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica. There is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required (see section 16 below for more information).
Aspiration hazard	: Based on available data, the classification criteria are not met. No aspiration hazard envisaged

Quartz (14808-60-7)	
Viscosity, kinematic	Not applicable (solid with a melting point >1610 °C)

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : Contains no substances identified as having endocrine disrupting properties

11.2.2 Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not relevant

Hazardous to the aquatic environment, long-term (chronic) : Not relevant

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

Quartz (14808-60-7)

Persistence and degradability	Not relevant.
-------------------------------	---------------

12.3. Bioaccumulative potential

Quartz (14808-60-7)

Partition coefficient n-octanol/water (Log Pow)	Not applicable (solid inorganic substance)
---	--

Bioaccumulative potential	Not relevant. Some organisms accumulate Si(OH) ₄ .
---------------------------	---

12.4. Mobility in soil

Quartz (14808-60-7)

Mobility in soil	Negligible
------------------	------------

12.5. Results of PBT and vPvB assessment

Quartz (14808-60-7)

Results of PBT and vPvB assessment	Not relevant
------------------------------------	--------------

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : Contains no substances identified as having endocrine disrupting properties

12.7. Other adverse effects

Other adverse effects : No specific adverse effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Where possible recycling is preferred to disposal. Can be dumped in according to local regulations.

Product/Packaging disposal recommendations : Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.5. Environmental hazards

Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Quartz is not on the REACH Candidate List

Quartz is not on the REACH Annex XIV List

Quartz is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Quartz is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Other information, restriction and prohibition regulations

: Works involving exposure to respirable crystalline silica dust generated by a work process are included in Directive (EU) 2017/2398 of 12 December 2017 amending Directive 2004/37/EC on the Protection of Workers from the risks related to exposure to Carcinogens or Mutagens at work.
For young people, <18 years (94/33/EC): National employment prohibitions and restrictions have to be observed.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Exempted from REACH Registration in accordance with Annex V.7 of Regulation (EC) 1907/2006

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
Annex	Product code	Added	

Data sources

: Data are based on our latest knowledge but do not constitute a guarantee for any specific product features and do not establish a legally valid contractual relationship.

Training advice

: Workers must be trained in the proper use and handling of this product as required under applicable regulations.

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

- Third party materials : Insofar as materials not manufactured or supplied by SCR-Sibelco NV are used in conjunction with, or instead of SCR-Sibelco NV materials, it is the responsibility of the customer himself to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of SCR-Sibelco NV's QUARTZ in conjunction with materials from another supplier.
- Social dialogue on respirable crystalline silica : In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France). In 2009, in the Monographs 100 series, IARC confirmed its classification of Silica Dust, Crystalline, in the form of Quartz and Cristobalite (IARC Monographs, Volume 100C, 2012) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003). A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from <http://www.nepsi.eu> and provide useful information and guidance for the handling of products containing crystalline silica (fine fraction). Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.
- Health & Safety Executive : Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis". In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.
- Other information : This safety data sheet (SDS) is based on the legal provisions of the REACH Regulation (EC 1907/2006; article 31 and Annex II), as amended. Its contents are intended as a guide to the appropriate precautionary handling of the material. It is the responsibility of recipients of this SDS to ensure that the information contained therein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. Information and instructions provided in this SDS are based on the current state of scientific and technical knowledge at the date of issue indicated. It should not be construed as any guarantee of technical performance, suitability for particular applications, and does not establish a legally valid contractual relationship. This version of the SDS supersedes all previous versions.

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LC50	Median lethal concentration
LD50	Median lethal dose
OECD	Organisation for Economic Co-operation and Development
SDS	Safety Data Sheet
Full text of H- and EUH-statements:	
H372	Causes damage to organs through prolonged or repeated exposure.
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1

SDS EU - SB (Generic)

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Annex 1: Trade names and product codes

Trade name	Product code
SILICA PO	100 EST 10F, 320, 320F, 350F, 400F, 500, 600 16, 32, 50, 250, 400, 450 3EW, 4EW, 10EW, 15EW, 20EW, 30EW, 40 EW, 50 EW, 75 EW, 150 EW C400, C480, C500, C540, C600, C800, E600 FFQ 45 (FFQ 200M) FLX, FLXSI02 GL400, GL450 M10, M10.2 M300, M400, M500, M600, M700, M800 M300C, M300BL, M300F, M300Bag M32-E, M50-E, M50ESI02 M400C, M450, M450.1 M500G M600.1 M8, M 8.2 N-S100, N-S300 P10K, P10, P10W, P320, P320K, P300K, P300, P150, P350K, P350K CS, P380K, P400K, P400, P500, P600 R-4, R6 EW, R10 EW, R300 EW, R400 EW, R500 EW RT1/53 RT5/75 S100, S300, S300C, S500, E400, E400V SA 12 D, SA 12 S, SA 250, SA 300, SA 300 S, SA300 ES, SA 600, SA 600F, SA 800 ES Silica RPX PO SM45, SM70, SM100

QUARTZ (STOT RE 1)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Annex 2: Contact details Customer Service

Country	Contact details	Country	Contact details
Netherlands	Sibelco Op de Bos 300 NL-6223 EP Maastricht Tel.: +31 43 3663636 customersupport.nl@sibelco.com	Sweden	Sibelco Nordic AB Prästgårdsgatan 30 SE-431 44 MÖLNDAL Tel.: +46 8 40 83 84 22 customersupport.nordic@sibelco.com
Netherlands	Sibelco Abrasives Noordhoek 7 NL-3351 LD Papendrecht Tel.: +31 78 615 8122 / +31 78 654 6770 customersupport.nl@sibelco.com	Norway	Sibelco Nordic AB Prästgårdsgatan 30 SE-431 44 MÖLNDAL Tel.: +46 8 40 83 84 22 customersupport.nordic@sibelco.com
Belgium	Sibelco Benelux De Zate 1 B-2480 Dessel Tel.: +32 14 39 58 40 customersupport.be@sibelco.com	Denmark	Sibelco Nordic AB Prästgårdsgatan 30 SE-431 44 MÖLNDAL Tel.: +46 8 40 83 84 22 customersupport.nordic@sibelco.com
United Kingdom	Sibelco UK Brookside Hall, Sandbach UK-CW11 4TF Cheshire Tel.: +44 1270 332 037 customersupport.gb@sibelco.com	Finland	Sibelco Finland Mikkelänkallio 3 FI-02770 Espoo Finland Tel.: +358 9 42 41 44 79 customersupport.fi@sibelco.com
Germany	Sibelco Deutschland GmbH Sälzerstrasse 20 DE-56235 Ransbach-Baumbach Tel.: +49 2623 8669910 customersupport.de@sibelco.com	Ukraine	Sibelco Ukraine Illinsky Business Center 8, Illins'ka Street, 1st block, 4th floor 04070 Kyiv Ukraine Tel.: +380 89 324 0730 customersupport.ua@sibelco.com
France	Sibelco France Immeuble Le Colisée – Bât. C 8 Avenue de l'Arche ZAC Danton FR-92419 Courbevoie Cedex Tel: +33 1 70 97 94 34 customersupport.fr@sibelco.com	Poland	Sibelco Poland Al. gen Józefa Hallera 165 PL-80-416 Gdańsk Poland Tel.: +48 12 396 61 26 customersupport.pl@sibelco.com
Spain	Sibelco Spain Capuchinos de Basurto, 6 - 5º B ES-48013 Bilbao (Vizcaya) Tel.: +34 946 66 30 80 customersupport.es@sibelco.com	Turkey	Sibelco Turkey ÇALTI KÖYÜ TR-09500 ÇİNE/AYDIN Tel.: +90 256 722 27 00 customersupport.tr@sibelco.com
Italy	Sibelco Italy Viale Dino Ferrari, 75/83 Maranello IT-41053 Modena Tel.: +39 0536 1962010 customersupport.it@sibelco.com	Russia	Sibelco Russia Eganovo village Ramensky district 140125 Moscow region Russian Federation Tel.: +7 4952325150 *323 customersupport.ru@sibelco.com
Portugal	Sibelco Portugal Est. Nacional 114 Quinta da Rosa 2040-335 Rio Maior Portugal Tel.: +351 243 909 650 customersupport.pt@sibelco.com		